

LSI Docket No. 03-0554

Claim Amendments

Please amend the claims as follows:

1. (Currently Amended) A method for mapping SCSI2 reservation exchanges for use in a SCSI3 storage subsystem, the method comprising:
receiving a SCSI2 reservation exchange via an associated path;
generating a unique identifier identifying the associated path;
translating the received SCSI2 reservation exchange into a corresponding SCSI3 reservation exchange using the unique identifier; and
processing the SCSI3 reservation exchange to manage reservation of an identified portion of storage in the storage subsystem.
2. (Original) The method of claim 1 wherein the step of processing comprises:
forwarding the SCSI3 reservation exchange to the storage subsystem.
3. (Original) The method of claim 1 wherein the step of translating comprises:
translating the received SCSI2 reservation exchange into a corresponding SCSI3 persistent reservation protocol exchange.
4. (Currently Amended) The method of claim 3 wherein the step of generating the unique identifier further identifies a requesting host, and the step of translating to a SCSI3 exchange comprises:
~~generating a unique identifier for a requesting host~~;
determining whether the unique identifier is known to the storage subsystem;
registering the unique identifier within the storage subsystem; and
translating a received SCSI2 reservation request into a corresponding SCSI3 persistent reservation reserve request using the unique identifier.
5. (Original) The method of claim 4 further comprising:
translating a received SCSI2 release request into a corresponding SCSI3 persistent reservation clear request using the unique identifier.

LSI Docket No. 03-0554

6. (Original) The method of claim 5 further comprising:

translating a received SCSI2 bus device reset request into a corresponding SCSI3 persistent reservation clear request using the unique identifier.

7. (Currently Amended) The method of claim 4 wherein the step of generating a unique identifier further comprises:

generating said unique identifier ~~from~~ further identifying a WWN associated with the requesting host.

8. (Currently Amended) The method of claim 4 wherein the step of generating a unique identifier further comprises:

generating said unique identifier ~~from~~ further identifying a WWN associated with an HBA of the requesting host.

9. (Currently Amended) The method of claim 4 herein the step of generating a unique identifier further comprises:

generating said unique identifier ~~using~~ further identifying a signature value indicative of a translation layer driver.

10. (Currently Amended) A system comprising:

a driver operable in a host system for generating SCSI2 reservation protocol exchanges;

a storage subsystem adapted to process SCSI3 reservation protocol exchanges;

an ID generator that generates a unique identifier identifying the associated path of the said SCSI2 reservation protocol exchanges; and

a translator communicatively coupled to said driver element and communicatively coupled to said storage subsystem and communicatively coupled to said ID generator, wherein said translator is adapted to translate said SCSI2 reservation protocol exchanges received from said driver into said SCSI3 reservation protocol exchanges using the

LSI Docket No. 03-0554

unique identifier and wherein said translator is further adapted to forward the SCSI3 reservation protocol exchanges to said storage subsystem.

11. (Currently Amended) The system of claim 10 wherein the ~~translator further comprises:~~ ID generator is configured to generate a host identifier portion.

~~an ID generator to generate a unique identifier corresponding to the host system.~~

12. (Currently Amended) The system of claim 10 wherein the ~~translator further comprises:~~ ID generator is configured to generate a host bus adapter identifier portion.

~~an ID generator to generate a unique identifier corresponding to a host bus adapter of the host system.~~

13. (Currently Amended) The system of claim 10 wherein the ~~translator further comprises:~~ ID generator is configured to generate a signature portion indicating generation by said translator.

~~an ID generator to generate a unique identifier to include a signature portion indicating generation by said translator.~~

14. (Original) The system of claim 10 wherein said translator is resident within the host system.

15. (Currently Amended) A system for processing SCSI2 reservation requests comprising:

driver means operable in a host system for generating SCSI2 reservation requests;

ID generator means for generating a unique ID for an associated path of the host system; and

translator means operable in the host system and communicatively coupled to the driver means for intercepting SCSI2 reservation requests and for translating the intercepted requests into SCSI3 persistent reservation requests using the unique ID.

16. (Canceled)

LSI Docket No. 03-0554

17. (Currently Amended) The system of claim 1516 wherein the unique ID includes a host identifier portion useful to verify the identity of the host system that generated the unique ID.

18. (Currently Amended) The system of claim 1516 wherein the unique ID includes a translator signature portion useful to verify that the unique ID was generated by said translator means.

19. (Currently Amended) The system of claim 1516 wherein the host system includes multiple paths for communicating with a storage subsystem and wherein the ID generator means further comprises:
means for generating a unique ID for the host system used in translating said SCSI2 reservation requests on all paths of the host system.

20. (Canceled)

21. (Currently Amended) The system of claim 1520 wherein the host system includes a host bus adapter associated with each path and wherein the means for generating a unique ID for each path includes:
means for generating each unique ID using a world-wide name (WWN) associated with each host bus adapter.